



Miami, FL
sales@sumawoods.com
www.sumawoods.com
305-998-7635

Suma-Film Concrete Forming Plywood

Our **Suma-film concrete forming plywood** is made exclusively from tropical hardwood and finished on both faces with phenolic surface film overlayed on **B/B** faces. The core veneers are **C/C** grade and we only use phenolic resin glues for laminating the plies. It is designed and manufactured to a standard capable of withstanding numerous pours while still maintaining the quality of the final surface texture of the concrete.

▪ CONCRETE FORMING PRODUCTS

Size:

1220 mm x 2440 mm (48" x 96")

Thickness*

18mm	3/4"	9 ply
------	------	-------

*Although we stock standard sizes and thicknesses, we have the ability to manufacture custom products and finishes.


Grade

BB/CC Exterior Grade Plywood

Description

- 100% Tropical hardwood plywood
- Veneers (individually) laminated with water-resistant phenolic resin glue
- Spiral cut veneer for seamless plies

Popular Name of Species	Scientific Name	Wood Density g/cm3
SUMAÚMA-BRANCA	Ceiba Pentandra	0,353
COPAIBA	Multijuga	0,642
COPAIBA	Langsdorffi	0,61
GUARIBEIRO	Phyllocarpus riedelli	0,4
ANGICO	Parkia nitida	0,68
PINHO-CUIABANO	Schizolobium amazonicum	0,49



Certifications

- Forest Stewardship Council **FSC STD 40-004V3-0** (Chain of Custody Certification)
- **CARB ATCM 93120**
- **EPA TSCA Title VI**

Applications

- Designed for concrete pouring applications where specific surface quality and texture requirements are needed
- Up to 8 repeat applications are possible at the discretion of the user

Packaging Details

Thickness	Pieces per Bundle	Volume in m3	Pounds per Unit
18mm / 3/4"	50	438	Between 3200-3400 lbs/bundle